

Basic parameters									
Model name	Jetour Traveler 2025 2.0T 4WD Peace Elite God of War Edition	Jetour Traveler 2024 2.0T 4WD Yueye PRO	Jetour Traveler 2024 2.0T 4WD Silver Dragon Wing	Jetour Traveler 2023 2.0T 4WD Cross Country	Jetour Traveler 2023 2.0T 4WD Crossing PRO	Jetour Traveler 2023 2.0T 4WD Crossing PRO+	Jetour Traveler 2023 2.0T 4WD Conquest	Jetour Traveler 2023 2.0T 4WD Conquest PRO	Jetour Traveler 2024 2.0T 4WD 7-seater version
Manufacturer level	Chery Automobile Compact SUV	Chery Automobile Compact SUV	Chery Automobile Compact SUV	Chery Automobile Compact SUV	Chery Automobile Compact SUV	Chery Automobile Compact SUV	Chery Automobile Compact SUV	Chery Automobile Compact SUV	Chery Automobile Compact SUV
Energy Type	gasoline	gasoline	gasoline	gasoline	gasoline	gasoline	gasoline	gasoline	gasoline
Environmental standards	National VI	National VI	National VI	National VI	National VI	National VI	National VI	National VI	National VI
Availability	2024.11	2024.03	2024.01	2023.09	2023.09	2023.09	2023.10	2023.09	
Maximum power (kW)	187	187	187	187	187	187	187	187	187
Maximum torque (N·m)	390	390	390	390	390	390	390	390	390
Gearbox	7-speed wet dual clutch	7-speed wet dual clutch	7-speed wet dual clutch	7-speed wet dual clutch	7-speed wet dual clutch	7-speed wet dual clutch	8-speed manual transmission	8-speed manual transmission	7-speed wet dual clutch
Body structure	5-door 5-seater SUV	5-door 5-seater SUV	5-door 5-seater SUV	5-door 5-seater SUV	5-door 5-seater SUV	5-door 5-seater SUV	5-door 5-seater SUV	5-door 5-seater SUV	5-door 7-seater SUV
Length*width*height(mm)	4782*2036*1960	4785*2006*1880	4782*2036*1960	4785*2006*1880	4785*2006*1880	4785*2006*1880	4785*2006*1880	4785*2006*1880	5034*2006*1880
Official 0-100km/h acceleration (s)									
Maximum speed	180	180	180	180	180	180	180	180	190
WLTC comprehensive fuel consumption (L/100km)	10.89	9.58	10.89	8.83	8.83	8.83	9.58	9.58	9.83
Vehicle warranty	Four years or 100,000 km ●	Four years or 100,000 km ●	Four years or 100,000 km ●	Four years or 100,000 km ●	Four years or 100,000 km ●	Four years or 100,000 km ●	Four years or 100,000 km ●	Four years or 100,000 km ●	Four years or 100,000 km ●
First Owner Warranty Policy	No age limit/no mileage limit (liability exemption clauses are subject to official regulations) ●	No age limit/no mileage limit (liability exemption clauses are subject to official regulations) ●	No age limit/no mileage limit (liability exemption clauses are subject to official regulations) ●	No age limit/no mileage limit (liability exemption clauses are subject to official regulations) ●	No age limit/no mileage limit (liability exemption clauses are subject to official regulations) ●	No age limit/no mileage limit (liability exemption clauses are subject to official regulations) ●	No age limit/no mileage limit (liability exemption clauses are subject to official regulations) ●	No age limit/no mileage limit (liability exemption clauses are subject to official regulations) ●	No age limit/no mileage limit (liability exemption clauses are subject to official regulations) ●
Curb weight(kg)	1934	1919	1934	1869	1869	1869	1919	1919	2008
Maximum full load mass (kg)	2450	2450	2450	2450	2450	2450	2450	2450	2700
Total mass of trailer(kg)		1600		1600	1600	1600	1600	1600	1600
Body									
Length(mm)	4782	4785	4782	4785	4785	4785	4785	4785	5034
Width(mm)	2036	2006	2036	2006	2006	2006	2006	2006	2006
Height(mm)	1960	1880	1960	1880	1880	1880	1880	1880	1880
Wheelbase(mm)	2800	2800	2800	2800	2800	2800	2800	2800	2800
Front wheel track (mm)	1720	1685	1720	1685	1685	1685	1685	1685	1685
Rear wheelbase(mm)	1730	1695	1730	1695	1695	1695	1695	1695	1695
Minimum ground clearance without load (mm)	215	220	215	220	220	220	220	220	215
Approach angle (°)	twenty four	28	twenty four	28	28	28	28	28	28
Departure angle(°)	28	28	28	28	28	28	28	28	18
Maximum wading depth (mm)	700	700	700	700	700	700	700	700	700
Body structure	SUV	SUV	SUV	SUV	SUV	SUV	SUV	SUV	SUV
Door opening method	Swing door	Swing door	Swing door	Swing door	Swing door	Swing door	Swing door	Swing door	Swing door
Number of doors	5 ●	5 ●	5 ●	5 ●	5 ●	5 ●	5 ●	5 ●	5 ●
Number of seats	5 ●	5 ●	5 ●	5 ●	5 ●	5 ●	5 ●	5 ●	7 ●
Fuel tank capacity (L)	70	70	70	70	70	70	70	70	70
Trunk volume (L)									
Drag coefficient (Cd)									
Engine									
Engine Model	SORF4J20	SORF4J20	SORF4J20	SORF4J20	SORF4J20	SORF4J20	SORF4J20	SORF4J20	SORF4J20
Displacement (mL)	1998	1998	1998	1998	1998	1998	1998	1998	1998
Displacement(L)	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
Air intake form	Turbocharger	Turbocharger	Turbocharger	Turbocharger	Turbocharger	Turbocharger	Turbocharger	Turbocharger	Turbocharger
Engine layout	Sideways	Sideways	Sideways	Sideways	Sideways	Sideways	Sideways	Sideways	Sideways
Cylinder arrangement	L	L	L	L	L	L	L	L	L
Number of cylinders	4	4	4	4	4	4	4	4	4
Number of valves per cylinder	4	4	4	4	4	4	4	4	4
Compression ratio	10.2	10.2	10.2	10.2	10.2	10.2	10.2	10.2	10.2
Valve mechanism	DOHC	DOHC	DOHC	DOHC	DOHC	DOHC	DOHC	DOHC	DOHC
Cylinder diameter	80.5	80.5	80.5	80.5	80.5	80.5	80.5	80.5	80.5
Stroke(mm)	98.12	98.12	98.12	98.12	98.12	98.12	98.12	98.12	98.12
Maximum horsepower (Ps)	254	254	254	254	254	254	254	254	254
Maximum power (kW)	187	187	187	187	187	187	187	187	187
Maximum power speed (rpm)	5500	5500	5500	5500	5500	5500	5500	5500	5500
Maximum torque (N·m)	390	390	390	390	390	390	390	390	390
Maximum torque speed (rpm)	1750-4000	1750-4000	1750-4000	1750-4000	1750-4000	1750-4000	1750-4000	1750-4000	1750-4000
Maximum net power (kW)	180	180	180	180	180	180	180	180	180
Energy Type	gasoline	gasoline	gasoline	gasoline	gasoline	gasoline	gasoline	gasoline	gasoline
Fuel grade	No. 92	No. 92	No. 92	No. 92	No. 92	No. 92	No. 92	No. 92	No. 92
Oil supply method	Direct Injection	Direct Injection	Direct Injection	Direct Injection	Direct Injection	Direct Injection	Direct Injection	Direct Injection	Direct Injection
Cylinder head material	Aluminum Alloy	Aluminum Alloy	Aluminum Alloy	Aluminum Alloy	Aluminum Alloy	Aluminum Alloy	Aluminum Alloy	Aluminum Alloy	Aluminum Alloy
Cylinder material	Aluminum Alloy	Aluminum Alloy	Aluminum Alloy	Aluminum Alloy	Aluminum Alloy	Aluminum Alloy	Aluminum Alloy	Aluminum Alloy	Aluminum Alloy
Environmental standards	National VI	National VI	National VI	National VI	National VI	National VI	National VI	National VI	National VI
Gearbox									
Abbreviation	7-speed wet dual clutch	7-speed wet dual clutch	7-speed wet dual clutch	7-speed wet dual clutch	7-speed wet dual clutch	7-speed wet dual clutch	8-speed manual transmission	8-speed manual transmission	7-speed wet dual clutch
Number of gears	7	7	7	7	7	7	8	8	7
Gearbox Type	Wet Dual Clutch Transmission (DCT)	Wet Dual Clutch Transmission (DCT)	Wet Dual Clutch Transmission (DCT)	Wet Dual Clutch Transmission (DCT)	Wet Dual Clutch Transmission (DCT)	Wet Dual Clutch Transmission (DCT)	Automatic transmission (AT)	Automatic transmission (AT)	Wet Dual Clutch Transmission (DCT)
Chassis steering									
Drive mode	Front four-wheel drive	Front four-wheel drive	Front four-wheel drive	Front four-wheel drive	Front four-wheel drive	Front four-wheel drive	Front four-wheel drive	Front four-wheel drive	Front four-wheel drive
Four-wheel drive	Timely four-wheel drive	Timely four-wheel drive	Timely four-wheel drive	Timely four-wheel drive	Timely four-wheel drive	Timely four-wheel drive	Timely four-wheel drive	Timely four-wheel drive	Timely four-wheel drive
Center differential structure	Multi-plate clutch ●	Multi-plate clutch ●	Multi-plate clutch ●	Multi-plate clutch ●	Multi-plate clutch ●	Multi-plate clutch ●	Multi-plate clutch ●	Multi-plate clutch ●	Multi-plate clutch ●
Front suspension type	McPherson independent suspension ●	McPherson independent suspension ●	McPherson independent suspension ●	McPherson independent suspension ●	McPherson independent suspension ●	McPherson independent suspension ●	McPherson independent suspension ●	McPherson independent suspension ●	McPherson independent suspension ●
Rear suspension type	Multi-link independent	Multi-link independent	Multi-link independent	Multi-link independent	Multi-link independent	Multi-link independent	Multi-link independent	Multi-link independent	Multi-link independent
Power type	Electric power assist	Electric power assist	Electric power assist	Electric power assist	Electric power assist	Electric power assist	Electric power assist	Electric power assist	Electric power assist
Vehicle structure	Load-bearing	Load-bearing	Load-bearing	Load-bearing	Load-bearing	Load-bearing	Load-bearing	Load-bearing	Load-bearing
Wheel brake									
Front brake type	Ventilated disc type ●	Ventilated disc type ●	Ventilated disc type ●	Ventilated disc type ●	Ventilated disc type ●	Ventilated disc type ●	Ventilated disc type ●	Ventilated disc type ●	Ventilated disc type ●
Rear brake type	Disc ●	Disc ●	Disc ●	Disc ●	Disc ●	Disc ●	Disc ●	Disc ●	Disc ●
Parking brake type	Electronic parking brake	Electronic parking brake	Electronic parking brake	Electronic parking brake	Electronic parking brake	Electronic parking brake	Electronic parking brake	Electronic parking brake	Electronic parking brake
Front tire specifications	255/55 R20 ●	255/60 R19 ● 255/55 R20 ○	255/55 R20 ●	255/60 R19 ● 255/55 R20 ○	255/60 R19 ● 255/55 R20 ○	255/60 R19 ● 255/55 R20 ○	255/60 R19 ● 255/55 R20 ○	255/60 R19 ● 255/55 R20 ○	255/55 R20 ●
Rear tire specifications	255/55 R20 ●	255/60 R19 ● 255/55 R20 ○	255/55 R20 ●	255/60 R19 ● 255/55 R20 ○	255/60 R19 ● 255/55 R20 ○	255/60 R19 ● 255/55 R20 ○	255/60 R19 ● 255/55 R20 ○	255/60 R19 ● 255/55 R20 ○	255/55 R20 ●
Spare tire specifications	Full size ●	Non-full size ● Full size ○	Full size ●	Non-full size ● Full size ○	Non-full size ● Full size ○	Non-full size ● Full size ○	Full size ● Non-full size ○	Full size ● Non-full size ○	Full size ●
Spare tire placement	Backpack	Backpack	Backpack	Backpack	Backpack	Backpack	Backpack	Backpack	Backpack
Passive safety									

Interior ambient lighting	Multicolor●	Multicolor●	Multicolor●		Multicolor●	Multicolor●	Multicolor●	Multicolor●	
Air conditioning/refrigerator									
Air conditioning temperature control method	Automatic air conditioning●	Automatic air conditioning●	Automatic air conditioning●	Automatic air conditioning●	Automatic air conditioning●	Automatic air conditioning●	Automatic air conditioning●	Automatic air conditioning●	
Rear independent air conditioning									
Rear seat air vents	●	●	●	●	●	●	●	●	
Temperature zone control	●	●	●	●	●	●	●	●	
Car air purifier	●	●	●	●	●	●	●	●	
In-car PM2.5 filter	●	●	●	●	●	●	●	●	
Negative ion generator	●	●	●	●	●	●	●	●	
Car fragrance device	●	●	●						
color									
Appearance Color									
Interior Color									
Optional Package									
Full size spare tire									
Tire package 1				Includes: 255/55R20 HT tire + full-size spare tire, no optional spare tire cover	Includes: 255/55R20 HT tire + full-size spare tire, no optional spare tire cover	Includes: 255/55R20 HT tire + full-size spare tire, no optional spare tire cover			
Comfort heating pack					Includes: Driver seat heating + Passenger seat ventilation and heating optional○				
Tire Pack 4						Includes: 255/60 R19 HT tire option○			
Tire Pack 2		Includes: 255/55 R20 HT tire option○					Includes: 255/55 R20 HT tire option○	Includes: 255/55 R20 HT tire option○	
Tire Pack 3							Includes: 255/60 R19 AT tire option○	Includes: 255/60 R19 AT tire option○	